

## PROPULSID® (cisapride)

### Limited Access Program Disallowed Medications and Foods List by Generic Name

NOTE: THIS IS A LIST OF DRUGS AND FOODS THAT HAVE THE POTENTIAL FOR INTERACTION WITH CISAPRIDE. Formal studies have not proven the interaction of all of these drugs and foods.

**THIS LIST IS NOT COMPREHENSIVE AND IS SUBJECT TO REVISION AS ADDITIONAL INFORMATION BECOMES AVAILABLE.**

| GENERIC NAME                                       | BRAND NAME  | CATEGORY |
|--|---|----------|
| <b>Medications</b>                                 |   |          |
| abametapir   | Xeglyze™  | B        |
| abiraterone  | ZYTIGA®   | A,C      |
| aclarubicin (only on Non US Market)                | Aclacin, Aclacinomycine, Aclacinon, Aclaplastin, Jaclacin                                     | A        |
| albuterol (salbutamol)                             | Ventolin™, Proventil™, Ventolin-HFA™, Accuneb™, Combivent™, Vospire-ER™, ProAir HFA™, Duoneb™ | A,C      |
| alfuzosin  | UROXATRAL®  | A        |
| amantadine   | Symmetrel®, Symadine®   | A        |
| amiodarone   | CORDARONE®, PACERONE®, GENERICS   | A,B,D    |
| amisulpride, sultopride                            | Solian®, Barnotil, Topral, Barnetil, Barhemsys™   | A        |
| amitriptyline, alone or in any combination product | Elavil®, Tryptomer®, Tryptizol®, Laroxyl®, Saroten®, Sarotex®, Lentizol®, Endep®, GENERICS    | A,D      |
| amphotericin B                                     | Fungilin®, Fungizone®, Abelcet®, AmBisome®, Fungisome®, Amphocil®, Amphotec®                  | A,C      |
| amprenavir   | AGENERASE®  | A,B,D,E  |
| amsacrine (acridinyl anisidide)                    | Amsidine®   | A,B      |
| anagrelide   | AGRYLIN®, XAGRID®   | A        |
| apalutamide  | ERLEADA™  | A        |
| apomorphine  | Apokyn®, Ixense®, Spontane®, Uprima®  | A        |
| aprepitant   | Emend®  | B        |
| aripiprazole                                       | Abilify®, Aripiprex®  | A        |
| aripiprazole lauroxil                              | Aristada™   | A        |
| arsenic trioxide                                   | TRISENOX®   | A        |
| artemether and lumefantrine                        | Coartem®  | A        |
| artenimol/piperaquine                              | Eurartesim™   | A,B,E    |
| asenapine  | Saphris®, Sycrest®  | A        |
| astemizole   | HISMANAL®   | A,E      |
| atazanavir   | REYATAZ®  | A,B      |
| atomoxetine  | Strattera®  | A        |
| azithromycin                                       | ZITHROMAX®  | A        |
| bedaquiline  | SIRTURO(TM)   | A        |
| bendroflumethiazide                                | Aprinox, Naturetin®   | C        |

Category: A=Proven or possible QT/torsades de pointes risk; B=cytochrome P450 (CYP) 3A4 inhibitor; C=Possible risk due to hypokalemia or other electrolyte imbalance; D=Listed as contraindicated as specified in Propulsid labeling; E=Not available in United States

**PROPULSID® (cisapride)**  
**Limited Access Program Disallowed Medications and Foods List by Generic Name**

| <b>GENERIC NAME</b>  | <b>BRAND NAME</b>   | <b>CATEGORY</b> |
|--|---|-----------------|
| benperidol   | ANQUIL®, GLIANIMON®   | A,E             |
| benzphetamine  | Didrex™, Recede™  | A               |
| bepidil  | VASCOR®   | A,D             |
| berotralstat hydrochloride   | Orladeyo™   | A,B             |
| betrixaban   | BEVYXXA®  | A               |
| bicalutamide   | CASODEX®  | B               |
| binimetinib and encorafenib  | Mektovi™ in combination with Braftovi™                        | A               |
| boceprevir   | VICTRELIS(TM)   | B               |
| bortezomib   | VELCADE®, BORTECAD®   | A               |
| bosutinib  | BOSULIF®  | A               |
| bretylium  | BRETYLOL®   | A,D,E           |
| bumetanide, IV   | BUMEX® IV   | C               |
| bumetanide, oral single agent ONLY<br>(combination use of loop or thiazide diuretics with potassium replacement or with potassium-sparing drugs is ALLOWABLE, monitoring is recommended) | BUMEX®  | C               |
| buprenorphine  | Belbuca®, Butrans®, Bunavail®, Buprenex®, Suboxone®, Zubsolv® | A               |
| cabozantinib   | COMETRIQ®   | A               |
| capecitabine   | Xeloda®   | A               |
| carbetocin   | Pabal™, Lonactene™, Duratocin™                                | A,E             |
| cefiderocol sulfate tosylate   | Fetroja™  | C               |
| ceritinib  | Zykadia™  | A,B             |
| cesium chloride  |   | A               |
| chloral hydrate  | Aquachloral®, Novo-Chlorhydrate®, Somnos®, Noctec®, Somnote®  | A               |
| chloroquine  | ARALEN®   | A               |
| chlorothiazide, IV   | DIURIL® IV  | C               |

Category: A=Proven or possible QT/torsades de pointes risk; B=cytochrome P450 (CYP) 3A4 inhibitor; C=Possible risk due to hypokalemia or other electrolyte imbalance; D=Listed as contraindicated as specified in Propulsid labeling; E=Not available in United States

**PROPULSID® (cisapride)**  
**Limited Access Program Disallowed Medications and Foods List by Generic Name**

| <b>GENERIC NAME</b>   | <b>BRAND NAME</b>  | <b>CATEGORY</b> |
|---|--|-----------------|
| chlorothiazide, oral single agent ONLY (combination use of loop or thiazide diuretics with potassium replacement or with potassium-sparing drugs is ALLOWABLE, monitoring is recommended) | DIURIL®  | C               |
| chlorpromazine  | ORMAZINE, THORAZINE®   | A,D             |
| chlorprothixene   | Truxal™  | A,E             |
| cilostazol  | Pletal®  | A               |
| cimetidine  | Tagamet®   | A               |
| cinacalcet  | Sensipar®  | A               |
| ciprofloxacin, any formulation  | CIPRO®   | A               |
| citalopram  | CELEXA®  | A               |
| clarithromycin  | BIAXIN®  | A,B,D           |
| clemastine  | TAVIST®  | A               |
| clofazimine   | LAMPRENE®  | A,E             |
| clomipramine  | ANAFRANIL®   | A,D             |
| clozapine   | Clozaril®, Fazaclor®, Versacloz®                                   | A               |
| cobicistat  | Tybost™  | B               |
| cobimetinib   | Cotellic™  | C               |
| conivaptan  | VAPRISOL®  | B               |
| crizotinib  | XALKORI®   | A,B             |
| cyamemazine   | Tercian®   | A,E             |
| dabrafenib  | TAFINLAR®  | A               |
| dacomitinib   | VIZIMPRO®  | C               |
| darunavir/cobicistat  | Prezcobix™   | A,B             |
| dasatinib   | SPRYCEL®   | A,B             |
| degarelix   | Firmagon™, Ferring™  | A               |
| delamanid   | Deltyba®   | A,E             |
| desipramine   | NORPRAMIN®   | A,D             |
| deutetrabenazine  | AUSTEDO™   | A,B,C           |
| dexamphetamine  | Dexedrine®, Zenedi®, ProCentra®, Dextrostat®, Liquadd®, Spansules® | A               |
| dexmedetomidine   | PRECEDEX, DEXDOR, DEXDOMITOR (IV sedative)                         | A               |
| diethylpropion  | Tenuate™, Tepanil™   | A               |
| diltiazem, alone or in any combination  | CARDIZEM®, TECZEM®   | A,B             |
| disopyramide  | NORPACE®, NORPACE CR®  | A,D             |
| dofetilide  | TIKOSYN®   | A,D             |

Category: A=Proven or possible QT/torsades de pointes risk; B=cytochrome P450 (CYP) 3A4 inhibitor; C=Possible risk due to hypokalemia or other electrolyte imbalance; D=Listed as contraindicated as specified in Propulsid labeling; E=Not available in United States

**PROPULSID® (cisapride)**  
**Limited Access Program Disallowed Medications and Foods List by Generic Name**

| <b>GENERIC NAME</b>           | <b>BRAND NAME</b>   | <b>CATEGORY</b> |
|-------------------------------|---|-----------------|
| dolasetron                    | ANZEMET®  | A               |
| domperidone                   | MOTILUM®  | A, E            |
| donepezil                     | Aricept®  | A               |
| doxepin                       | ADAPIN®, SILENOR®, SINEQUAN®, ZONALON®<br>TOPICAL   | A,D             |
| dronedarone                   | MULTAQ®   | A,B             |
| droperidol                    | Inapsine®, Droleptan®, Dridol®, Xomolix®  | A               |
| duvelisib                     | COPIKTRA (not trademarked)  | B,C             |
| efavirenz                     | Sustiva®  | A               |
| eliglustat                    | CERDELGA®   | A               |
| elotuzumab                    | Empliciti™  | C               |
| enasidenib                    | IDHIFA®   | C               |
| encainide                     | ENKAID®   | A,E             |
| encorafenib                   | Braftovi™   | A,B             |
| entrectinib                   | Rozlytrek™  | A,B             |
| epirubicin                    | ELLECE®   | A               |
| erythromycin                  | E.E.S.®, Robimycin®, EMycin®, Erymax®, Ery-Tab®,<br>Eryc Ranbaxy®, Erypar®, Eryped®, Erythrocin<br>Stearate Filmtab®, Erythrocot®, E-Base®,<br>Erythroped®, Ilosone®, MY-E®, Pediamycin®,<br>Zineryt®, Abbotycin®, Abbotycin-ES®, Erycin®, PCE<br>Dispertab®, Stiemycine®, Acnasol®, Tiloryth®,<br>Generics | A,B,D           |
| escitalopram                  | Lexapro®  | A               |
| esomeprazole                  | Nexium®, Nexium® 24HR, Nexium® I.V.   | C               |
| ethacrynic acid               | EDECIN® IV  | C               |
| ezogabine                     | POTIGA®   | A               |
| famotidine                    | Pepcid OTC®   | A               |
| fedratinib hydrochloride      | Inrebic™  | B               |
| felbamate                     | FELBATOL®   | A               |
| fenoterol                     | Berotec™, Berodual N™   | A,C,E           |
| fenspiride                    | Eurespal, Pneumorel, SYRESP   | A,E             |
| fingolimod                    | GILENYA(TM)   | A               |
| flecainide                    | TAMBOCOR®   | A               |
| fluconazole                   | DIFLUCAN®   | A,B,D           |
| fluorouracil injection (5-FU) | ADRUCIL®, EFUDEX®   | A               |
| fluoxetine                    | Prozac®, Sarafem®, Fontex®  | A               |
| flupentixol                   | Depixol®, Fluanxol®   | A,E             |
| fluphenazine                  | APO-FLUPHENAZINE®, MODECATE<br>CONCENTRATE®, MODITEN®, PERMITIL®, PMS-<br>FLUPHENAZINE®, PROLIXIN®, RHO-<br>FLUPHENAZINE  | A,D             |

Category: A=Proven or possible QT/torsades de pointes risk; B=cytochrome P450 (CYP) 3A4 inhibitor; C=Possible risk due to hypokalemia or other electrolyte imbalance; D=Listed as contraindicated as specified in Propulsid labeling; E=Not available in United States

**PROPULSID® (cisapride)**  
**Limited Access Program Disallowed Medications and Foods List by Generic Name**

| <b>GENERIC NAME</b>   | <b>BRAND NAME</b>  | <b>CATEGORY</b> |
|---|--|-----------------|
| fluvoxamine   | LUVOX®, Faverin®, Fevarin®, Floxyfral®, Dumyrox®   | A,B             |
| fosamprenavir   | LEXIVA   | B               |
| fosnetupitant,<br>palonosetron iv and oral  | AKYNZEO™   | B               |
| fosphenytoin  | CEREBYX®   | A               |
| fostamatinib disodium<br>hexahydrate  | TAVALISSE™   | B               |
| fostemsavir<br>tromethamine   | Rukobia™   | A               |
| furosemide, IV  | LASIX® IV  | C               |
| furosemide, oral single<br>agent ONLY (combination<br>use of loop or thiazide<br>diuretics with potassium<br>replacement or with<br>potassium-sparing drugs<br>is ALLOWABLE,<br>monitoring is<br>recommended) | LASIX®   | C               |
| galantamine   | RAZADYNE®  | A               |
| garenoxacin   | Geninax®   | C,E             |
| gatifloxacin  | TEQUIN®  | A               |
| gemifloxacin  | FACTIVE®   | A               |
| gilteritinib  | XOSPATA®   | A,C             |
| glasdegib   | DAURISMO®  | A               |
| granisetron   | GRANISOL®, KYTRIL®, SANCUSO®   | A               |
| grepafloxacin   | RAXAR®   | A,B,F           |
| halofantrine  | HALFAN®  | A               |
| haloperidol   | HALDOL®  | A               |
| Hawthorn, Crataegus<br>laevigata  | FAROS 300®, Hawthorn®, Cardiplant®, Crataegisan®, Crataegutt®, English hawthorn, Faros®, haw, Korodin®, LI 132, maybush, whitethorn, WS 1442 | A               |
| hydrochlorothiazide and<br>moexipril  | UNIRETIC®  | C               |
| hydrochlorothiazide, oral,<br>single ingredient   | Apo-Hydro®, Aquazide H®, BP Zide®, Dichlotride®, Hydrodiuril®, HydroSaluric®, Hydrochlorot®, Microzide®, Esidrex®, Oretic®, generics         | C               |
| hydrocodone extended-<br>release  | Hysingla™ ER, Zohydro ER®  | A               |
| hydroxychloroquine  | Plaquenil™, Quineprox™   | A               |

Category: A=Proven or possible QT/torsades de pointes risk; B=cytochrome P450 (CYP) 3A4 inhibitor; C=Possible risk due to hypokalemia or other electrolyte imbalance; D=Listed as contraindicated as specified in Propulsid labeling; E=Not available in United States

**PROPULSID® (cisapride)**  
**Limited Access Program Disallowed Medications and Foods List by Generic Name**

| <b>GENERIC NAME</b>   | <b>BRAND NAME</b>  | <b>CATEGORY</b> |
|---|--|-----------------|
| hydroxyzine   | Atarax®, Vistaril®, Aterax®, Alamon®, Durrax®, Equipose®, Masmoran®, Orgatrax®, Paxistil®, Quies®, Tran-Q®, Tranquizine®, generics | A,C             |
| ibandronic acid, ibandronate  | Boniva®  | A               |
| ibogaine  | None   | A,E             |
| ibutilide   | CORVERT®   | A               |
| idelalisib  | Zydelig®   | B               |
| iloperidone   | Fanapt®, Fanapta®, Zomaril®  | B               |
| imatinib  | GLEEVEC  | B               |
| imipramine  | JANIMINE®, TOFRANIL®, VARIOUS  | A,D             |
| indacaterol   | ARCAPTA(TM) INHALER  | A               |
| indapamide, IV  | LOZOL® IV (in an acute setting)  | C               |
| indapamide, oral single agent ONLY (combination use of loop or thiazide diuretics with potassium replacement or with potassium-sparing drugs is ALLOWABLE, monitoring is recommended) | LOZOL®, others   | C               |
| indinavir   | CRIXIVAN®  | B,D             |
| inotersen injection   | TEGSEDI™   | A               |
| inotuzumab ozogamicin IV  | BESPONSA®  | A,B             |
| isavuconazonium sulfate   | Cresemba®  | B               |
| isradipine  | DYNACIRC®  | A               |
| itraconazole  | SPORANOX®  | A,B,D           |
| ivabradine  | Procoralan®, Coralan®, Corlentor®, Coraxan®, Ivabid®, Bradia®  | A,E             |
| ivacaftor   | KALYDECO™  | B               |
| ivosidenib  | TIBSOVO®   | A,C             |
| ketanserin (systemic)   | Sufrexal®  | C,E             |
| ketoconazole  | NIZORAL®   | A,B,D           |
| lansoprazole  | Prevacid®, Prevacid® SoluTab™, Prevacid® 24HR, Prevacid® I.V.  | C               |
| lapatinib   | TYKERB®  | A               |
| larotrectinib   | VITRAKVI®  | B               |
| lefamulin   | Xenleta™   | A,B             |
| lenvatinib mesylate   | Lenvima™   | A               |
| letebomvir  | PREVYMIS™  | B               |

Category: A=Proven or possible QT/torsades de pointes risk; B=cytochrome P450 (CYP) 3A4 inhibitor; C=Possible risk due to hypokalemia or other electrolyte imbalance; D=Listed as contraindicated as specified in Propulsid labeling; E=Not available in United States

**PROPULSID® (cisapride)**  
**Limited Access Program Disallowed Medications and Foods List by Generic Name**

| <b>GENERIC NAME</b>                  | <b>BRAND NAME</b>   | <b>CATEGORY</b> |
|--------------------------------------|---|-----------------|
| leuprolide (leuprorelin)             | Lupron™, Eligard™, Viadur™, Carcinil™, Enanton™, Leuplin™, Lucrin™, Procren™, Prostag™  | A,C             |
| Levmetamphetamine (levmetamfetamine) | Sinu Inhaler™, Vapor Inhaler™   | A               |
| levofloxacin                         | LEVAQUIN®   | A               |
| levomepromazine / methotrimeprazine  | Nosinan®, Nozinan®, Levoprome®  | A,B,E           |
| levomethadone                        | Levopidon™  | A,E             |
| levomethadyl                         | ORLAAM®   | A               |
| levosulpiride                        | Lesuride®, Levazeo®, Enliva®  | A,E             |
| lithium                              | ESKALITH®, Lithobid®  | A               |
| lofexidine                           | LUCEMYRA™   | A               |
| lonafarnib                           | Zokinvy™  | B,C             |
| loperamide (at very high doses)      | Imodium®, Imodium A-D®, Imotil®, generics available   | A               |
| lopinavir / ritonavir                | KALETRA®  | A,B             |
| lumateperone                         | Caplyta™  | A               |
| lurasidone                           | Latuda™   | A               |
| lutetium Lu 177 dotatate injection   | LUTATHERA™  | C               |
| macimorelin oral solution            | MACRILEN™   | A               |
| maprotiline                          | LUDIOMIL®   | A,D             |
| meglumine antimoniate                | Glucantime™   | A,E             |
| memantine                            | Namenda®, Namenda XR®, Namzaric® (as a combination product containing Donepezil, Memantine)   | A               |
| meropenem / vaborbactam intravenous  | VABOMERE®   | C               |
| mesoridazine                         | SERENTIL®   | A,D             |
| methadone                            | DOLOPHINE®  | A               |
| metoclopramide                       | Reglan®, Afipran®, Maxolon®, Cerucal®, Clopamon®, Clopra®, Maxeran®, Maxolon®, Metozolv®, Plasil®, Pramin®, Primperan®, Perinorm®, generics | A               |
| metolazone                           | ZYTANIX®, ZAROXOLYN®, MYKROX®   | C               |
| metronidazole                        | Flagyl™   | A,C             |
| mexiletine                           | MEXITIL®  | A               |
| mianserin                            | Tolvon™   | A,E             |
| mibefradil                           | POSICOR®  | B,E             |
| micafungin                           | Mycamine®   | B               |
| miconazole                           | ORAVIG®   | B               |
| midostaurin                          | RYDAPT®   | A,B             |

Category: A=Proven or possible QT/torsades de pointes risk; B=cytochrome P450 (CYP) 3A4 inhibitor; C=Possible risk due to hypokalemia or other electrolyte imbalance; D=Listed as contraindicated as specified in Propulsid labeling; E=Not available in United States

**PROPULSID® (cisapride)**  
**Limited Access Program Disallowed Medications and Foods List by Generic Name**

| <b>GENERIC NAME</b>                             | <b>BRAND NAME</b>                | <b>CATEGORY</b> |
|---|----------------------------------|-----------------|
| mifepristone                                    | Korlym®, Mifeprex®               | A               |
| mirabegron                                      | Myrbetriq®                       | A               |
| mirtazapine                                     | Remeron®                         | A               |
| morizidine                                      | ETHMOZINE®                       | A,D,E           |
| moxetumomab<br>pasudotox-tdfk injection         | LUMOXITI™                        | C               |
| moxifloxacin                                    | AVELOX®                          | A               |
| naratriptan                                     | AMERGE®                          | A               |
| necitumumab                                     | Portrazza™                       | C               |
| nefazodone                                      | SERZONE®                         | B,D             |
| nelfinavir                                      | VIRACEPT®                        | A,B             |
| nicardipine                                     | CARDENE®                         | A               |
| nifekalant                                      | Shinbit™                         | A,D,E           |
| nilotinib                                       | TASIGNA®                         | A               |
| norfloxacin                                     | CHIBROXIN®, NOROXIN®             | A               |
| nortriptyline                                   | AVENTYL® HYDROCHLORIDE, PAMELOR® | A,D             |
| octreotide                                      | SANDOSTATIN®                     | A               |
| ofloxacin                                       | FLOXIN®                          | A               |
| oliceridine                                     | Olinvyk™                         | A,C             |
| ombitasvir/paritaprevir/<br>ritonavir/dasabuvir | Viekira Pak™                     | A,B             |
| omeprazole                                      | Losec®, Prilosec®, Zegerid®      | C               |
| ondansetron                                     | ZOFRAN®                          | A               |
| osilodrostat                                    | Isturisa™                        | A               |
| osilodrostat phosphate                          | Isturisa™                        | A               |
| osimertinib                                     | Tagrisso™                        | A               |
| oxaliplatin                                     | Eloxatin®                        | A               |
| oxytocin  | PITOCIN®, Syntocinon®            | A               |
| ozanimod hydrochloride                          | Zeposia™                         | A               |
| palbociclib                                     | Ibrance®                         | B               |
| paliperidone                                    | INVEGA®                          | A               |
| palonosetron                                    | ALOXI®                           | A               |
| pamidronate                                     | Aredia®                          | A               |
| panobinostat lactate                            | Farydak®                         | A,C             |
| papaverine HCl (when<br>given by IV infusion)   | various, generic                 | A               |
| paroxetine                                      | PAXIL®                           | A               |
| pasireotide                                     | SIGNIFOR®                        | A               |
| patiomer for oral<br>suspension                 | Veltassa™                        | C               |
| pazopanib                                       | VOTRIENT®                        | A               |
| pemigatinib                                     | Pemazyre™                        | A               |
| pentamidine IV                                  | PENTACARINAT®, PENTAM®           | A               |

Category: A=Proven or possible QT/torsades de pointes risk; B=cytochrome P450 (CYP) 3A4 inhibitor; C=Possible risk due to hypokalemia or other electrolyte imbalance; D=Listed as contraindicated as specified in Propulsid labeling; E=Not available in United States

**PROPULSID® (cisapride)**  
**Limited Access Program Disallowed Medications and Foods List by Generic Name**

| <b>GENERIC NAME</b>                         | <b>BRAND NAME</b>   | <b>CATEGORY</b> |
|---|---|-----------------|
| perflutren                                  | DEFINITY®   | A               |
| perphenazine                                | TRILAFON®, Etrafon/Triavil®, Decentan®  | A,D             |
| pexidartinib hydrochloride                  | Turalio™  | B               |
| phendimetrazine                             | Bontril™, Adipost™, Anorex™, Plegine™, Appecon™, Melfiat™, Obezine™, Phendiet™, Prelu-2™, Statobex™ | A               |
| pilsicainide                                | Sunrythm (not ® in USA)   | A,E             |
| pimavanserin                                | Nuplazid®   | A               |
| pimozide                                    | ORAP®   | A               |
| pipamperone                                 | Dipiperon, Propitan, Dipiperal, Piperonil, Piperonyl  | A,E             |
| piperacillin / tazobactam                   | ZOSYN®  | C               |
| pitolisant (tiprolisant)                    | Wakix™  | A               |
| plazomicin                                  | Zemdri™   | C               |
| posaconazole                                | NOXAFIL®  | A,B             |
| pretomanid                                  |   | A,C             |
| primaquine                                  | <i>No Brand Name</i>  | A               |
| probucol                                    | Lorelco®  | A,E             |
| procainamide                                | PROCAN®, PROCANBID®, PRONESTYL®, VARIOUS  | A,D             |
| prochlorperazine                            | COMPAZINE®  | A,D             |
| promazine                                   | SPARINE   | A,D             |
| promethazine                                | PHENERGAN®  | A,D             |
| propafenone                                 | RYTHMOL SR®, RYTMONORM®   | A               |
| propofol                                    | (Diprivan®, Propoven®, and other brands)  | A               |
| prothipendyl                                | Dominal®, Largophren, Timoval, Timovan, Tumovan   | C,E             |
| quetiapine                                  | SEROQUEL®   | A               |
| quinidine                                   | CARDIOQUIN®, Quinaglute®, Duraquin®, Quinact®, Quinidex®, Cin-Quin®, Quinora®, VARIOUS              | A,D             |
| quinidine sulfate with dextromethorphan HBr | NUDEXTA®  | A,B,D           |
| quinine                                     | QUININE SULFATE   | A,B,E           |
| quinupristin and dalfopristin               | SYNERCID®   | B               |
| quizartinib                                 | Vanflyta  | A,E             |
| ranolazine                                  | RANEXA®   | A               |
| relugolix                                   | Orgovyx™  | A               |
| remimazolam                                 | Byfavo™   | A,C             |
| resveratrol                                 | Various (-forte, -max, -ultra)  | B               |
| ribociclib                                  | KISQALI®  | A               |
| rilpivirine                                 | EDURANT®  | A               |

Category: A=Proven or possible QT/torsades de pointes risk; B=cytochrome P450 (CYP) 3A4 inhibitor; C=Possible risk due to hypokalemia or other electrolyte imbalance; D=Listed as contraindicated as specified in Propulsid labeling; E=Not available in United States

**PROPULSID® (cisapride)**  
**Limited Access Program Disallowed Medications and Foods List by Generic Name**

| <b>GENERIC NAME</b>               | <b>BRAND NAME</b>  | <b>CATEGORY</b> |
|-----------------------------------|--|-----------------|
| risperidone                       | RISPERDAL®   | A               |
| ritonavir                         | NORVIR®  | B,D             |
| romidepsin                        | ISTODAX®   | A               |
| roxithromycin                     | Rulide®, Xthrocin®, Roxl-150®, Roxo®, Surlid®,<br>Rulide®, Biaxsig®, Roxar®, Roximycin®,<br>Roxomycin®, Rulid®, Tirabycin®, Coroxin® | A,E             |
| rucaparib                         | RUBRACA®   | A               |
| salmeterol                        | SEREVENT®  | A               |
| saquinavir                        | FORTOVASE®, INVIRASE®  | A,B,D,E         |
| selpercatinib                     | Retevmo™   | A,B             |
| sertindole                        | Serdolect®, Serlect®   | A,D,E           |
| sertraline                        | ZOLOFT®  | A               |
| sevoflurane                       | Ultane®, Sojourn®  | A               |
| siponimod                         | Mayzent™   | A               |
| sodium zirconium<br>cyclosilicate | LOKELMA™   | C               |
| solifenacin                       | VESICARE®  | A               |
| sorafenib                         | NEXAVAR®   | A               |
| sotalol                           | BETAPACE®  | A,D             |
| sparfloxacin                      | ZAGAM®   | A,D             |
| stiripentol                       | DIACOMIT (not trademarked)   | B               |
| sulpiride                         | Dogmatil® and others   | A,E             |
| sumatriptan                       | IMITREX®   | A               |
| sunitinib                         | SUTENT®  | A               |
| tacrolimus                        | Prograf®   | A               |
| tagraxofusp-erzs<br>injection     | ELZONRIS™  | C               |
| tamoxifen                         | Nolvadex® (discontinued), Istubal®, Valodex®   | A               |
| tazemetostat                      | Tazverik™  | A               |
| telaprevir                        | INCIVEK®   | B               |
| telavancin                        | VIBATIV®   | A               |
| telithromycin                     | KETEK®   | A,B             |
| terfenadine                       | SELDANE®   | A,E             |
| terodiline                        | Micturin®, Mictrol® (not bethanechol)  | A,E             |
| tetrabenazine                     | Nitoman®, Xenazine®  | A               |
| thiethylperazine maleate          | NORZINE®, TORECAN®   | A,D             |
| thioridazine                      | MELLARIL®, MELLARIL-S®   | A               |
| tiapride                          | Tiapridal®, Italprid®, Sereprile®, Tialaread®,<br>Tiaryl®, Tiaprim®, Tiaprizal®, Sereprid®,<br>Tiapridex®                            | A,E             |
| tipiracil and trifluridine        | LONSURF®   | A               |
| tizanidine                        | ZANAFLEX®  | A               |
| tolterodine                       | Detrol®, Detrol LA®  | A               |

Category: A=Proven or possible QT/torsades de pointes risk; B=cytochrome P450 (CYP) 3A4 inhibitor; C=Possible risk due to hypokalemia or other electrolyte imbalance; D=Listed as contraindicated as specified in Propulsid labeling; E=Not available in United States

**PROPULSID® (cisapride)**

**Limited Access Program Disallowed Medications and Foods List by Generic Name**

| <b>GENERIC NAME</b>                    | <b>BRAND NAME</b>                      | <b>CATEGORY</b> |
|--|--|-----------------|
| toremifene                             | FARESTON®                              | A               |
| toremide                               | DEMADEX® IV                            | A,C             |
| tramadol                               | ULTRAM®                                | A               |
| trastuzumab-dttb                       | ONTRUZANT™                             | C               |
| trazodone                              | DESYREL®, OLEPTRO®                     | A               |
| trifluoperazine                        | STELAZINE®                             | A,D             |
| trimethoprim-sulfamethoxazole          | BACTRIM®                               | A               |
| trimipramine                           | SURMONTIL®                             | A,D             |
| troleandomycin                         | TAO®                                   | B,D             |
| tucatinib                              | Tukysa™                                | B               |
| valbenazine                            | INGREZZA™                              | A               |
| varденаfil                             | LEVITRA®                               | A               |
| vemurafenib                            | ZELBORAF®                              | A               |
| venlafaxine                            | EFFEXOR®                               | A               |
| verapamil, alone or in any combination | CALAN®, TARKA®                         | A,B             |
| vilanterol trifenate                   | Breo® Ellipta®                         | A               |
| voclosporin                            | LUPKYNIS™                              | A,B             |
| voriconazole                           | VFEND®                                 | A,B             |
| voxelotor                              | Oxbryta™                               | B               |
| zafirlukast                            | ACCOLATE®                              | B               |
| zanubrutinib                           | Brukinsa™                              | C               |
| ziprasidone                            | GEODON®                                | A               |
| zoledronic acid, zolendronate          | Reclast®, Zometa®                      | A               |
| zolmitriptan                           | ZOMIG®                                 | A               |
| zotepine                               | Losizopilon, Lodopin, Setous, Zoleptil | A,E             |

| <b>GENERIC NAME</b> | <b>BRAND NAME</b> | <b>CATEGORY</b> |
|---------------------|-------------------|-----------------|
| <b>Foods</b>        |                   |                 |

Category: A=Proven or possible QT/torsades de pointes risk; B=cytochrome P450 (CYP) 3A4 inhibitor; C=Possible risk due to hypokalemia or other electrolyte imbalance; D=Listed as contraindicated as specified in Propulsid labeling; E=Not available in United States

**PROPULSID® (cisapride)**  
**Limited Access Program Disallowed Medications and Foods List by Generic Name**

| <b>GENERIC NAME</b> | <b>BRAND NAME</b>  | <b>CATEGORY</b> |
|---------------------|--|-----------------|
| Bitter orange       | Bitter Orange, Bitter Orange Extract, Bitter Orange Herb, Bitter Orange Standardized<br><br>Common names: bitter orange, bitter orange flower, bitter orange peel, green orange, kijitsu, neroli oil, Seville orange, shangzhou zhiqiao, sour orange, bigarade, neroli flowers, laranja-amarga, laranja-azeda, laranja-cavalo, zhi shi, zhi qiao<br><br>Scientific: <i>Citrus aurantium</i> , <i>Citrus aurantium amara</i> , <i>Citrus bergamia</i> , <i>Citrus bigaradia</i> , <i>Citrus vulgaris</i> , or <i>Aurantii pericarpium</i> | B               |
| Grapefruit juice    | Various fruits, juices, extracts, supplements.<br>Scientific: <i>Citrus paradisi</i>   | B,D             |
| Pomelo              | Common names: pomelo, pommelo, pummelo, shaddock, or lusho fruit<br><br>Scientific: <i>Citrus decumana</i> , <i>Citrus grandis</i> , <i>Citrus maxima</i>  | B               |
| Red wine            | Various  | A               |
| Shikonin            | botanical food additive, colorant, herbal medicine<br><br>Chemical names: 54952-43-1; Anchusin; SHIKALKIN; Alkanet extract; Anchusa acid; Alkanna Red  | B               |

Category: A=Proven or possible QT/torsades de pointes risk; B=cytochrome P450 (CYP) 3A4 inhibitor; C=Possible risk due to hypokalemia or other electrolyte imbalance; D=Listed as contraindicated as specified in Propulsid labeling; E=Not available in United States